





P418

Hourglass-shaped separator

Pathology: Bunions.

Indications: Pronounced bunion with overlapping of the big and second toes, with flexibility in the big toe observed. Need for separation of these toes.



| ltem | Model | Size | |
|--------|-------|------|--|
| 716261 | P418 | S | |
| 716262 | P418 | M | |
| 716263 | P418 | L | |



P417

Half-moon-shaped separator

Pathology: Bunions and overlapping toes.

Indications: Mild bunions or overlapping toes. Need for separation and alignment of the toes.



| Item | Model | Size |
|--------|-------|------|
| 716258 | P417 | S |
| 716259 | P417 | М |
| 716260 | P417 | L |



P454

Daytime bunion corrector

Pathology: Hallux valgus (bunions). **Indications:** Pain from the shoe rubbing against the side of the toe. Need for protection.



| Item | Model | Size |
|--------|-------|----------|
| 724167 | P454 | ONE SIZE |



P435 / P435P

Night-time bunion corrector

Pathology: Hallux valgus (bunions).

Indications: Intense pain at night and stiffness in the big toe. Need for posture correction and pain relief. Use a minimum of 2-3 times per week. Supplied as a single unit (left or right) or a pair (left and right).



| Item | Model | Size |
|--------|-------|------|
| 715303 | P435 | L |
| 715304 | P435 | R |
| 716919 | P435P | Р |



Redesign of the ORTHOPrim range of podiatry products **ORTHOPrim**



P438

Heel cup for lateral calcaneal spur

Pathology: Lateral calcaneal spur.

Indications: Long lasting product indicated to alleviate painful calcaneal spur and bursitis due to its two densities. Avoids the formation of callosities and provides an agreeable sensation of comfort. Lateral spur.



P440

Heel cup for central calcaneal spur

Pathology: Lateral calcaneal spur.

Indications:: Long lasting product indicated to alleviate painful calcaneal spur and bursitis due to its two densities. Avoids the formation of callosities and provides an agreeable sensation of comfort. Central spur.





| ltem | Model | Size |
|--------|-------|-------------|
| 716097 | P438 | S (35 - 37) |
| 716098 | P438 | M (38 - 40) |
| 716099 | P438 | L (41 - 43) |



| ltem | Model | Size |
|--------|-------|-------------|
| 715257 | P440 | S (35 - 37) |
| 715258 | P440 | M (38 - 40) |
| 715259 | P440 | L (41 - 43) |



P400-A

Heel pads

Pathology: Bursitis y Tendinitis.

Indications: Reduce the loads supported by the ankle, knee, hip and spine.



P453

Heel cups with orifice for calcaneal spur

Pathology: Calcaneal spur.

Indications: Heel pain with the need to avoid putting weight on the spur area where it touches the footwear.





| Item | Model | Size |
|--------|--------|-------------|
| 738320 | P400-A | S (35 - 37) |
| 738319 | P400-A | M (38 - 40) |
| 738318 | P400-A | L (41 - 43) |



| ltem | Model | Size |
|--------|-------|-------------|
| 724050 | P453 | S (35 - 37) |
| 724051 | P453 | M (38 - 40) |
| 724052 | P453 | L (41 - 43) |





P441

Non-slip anatomical insole

Pathology: Anatomical relief while walking. Lined to prevent slippage while walking.

Indications: The metatarsal support and plantar arch place the foot in the correct anatomical position.

| Model | Size | x2 () |
|-------------|----------|--------|
| D 4 4 4 | C (25 25 | -\ |

| ltem | Model | Size |
|--------|-------|-------------|
| 721928 | P441 | S (35 - 37) |
| 721929 | P441 | M (38 - 40) |
| 721930 | P441 | L (41 - 43) |







P433

Insoles with metatarsal pad

Pathology:: Plantar fasciitis. Tired feet and legs.

Indications: Helps relieve pain in the heel and metatarsal area. The metatarsal support and plantar arch provide comfort and relief while walking.



| 0 | 66 |
|-----|-----|
| X | М |
| /_ | di. |

| Item | Model | Size |
|--------|-------|--------------|
| 715260 | P433 | S (35 - 37) |
| 715261 | P433 | M (38 - 40) |
| 715262 | P433 | L (41 - 43) |
| 715263 | P433 | XL (44 - 46) |



P456

Full gel insoles with lining

Pathology: Tiredness in the plantar area. **Indications:** Cushion the impacts produced while walking. Lined to reduce the feeling of dampness.



| V | ,0 |) (| 0 |
|----------|----|-----|---|
| \wedge | _ | . (| U |
| \wedge | _ | . 1 | U |

| ltem | Model | Size |
|--------|-------|-------------|
| 725663 | P456 | S (35 - 37) |
| 725664 | P456 | M (38 - 40) |
| 725665 | P456 | L (41 - 43) |



P403

Insoles with metatarsal pad (women)

Pathology: Overload.

Indications: Includes metatarsal support to prevent forefoot pain and callus formation in people who spend a lot of time standing up. Specially designed for situations of overload or prolonged effort.



| ltem | Model | Size |
|--------|-------|-------------|
| 715256 | P403 | L (38 - 40) |
| 715255 | P403 | S (35 - 37) |



P405

34 insoles with pad

Pathology: Plantar overload.

Indications: Provides lasting relief for ligaments and muscles, cushioning the load area while walking and standing still.





